

How to use Console Debugging with MyGuide

myguide.org



Right click on the page and select "Inspect" to open up the inspect tool page

Store		
	Geogle	
	9.	
	Pack Alts Left Arrow	
	Dack Alt+Left Alrow	
	Forward Alt+Right Arrow	
	Forward Alt+Right Arrow Reload Ctrl+R	Ļ
	Forward Alt+Right Arrow Reload Ctrl+R Save as Ctrl+S Google Search I'm Feeling Luck	•
	Forward Alt+Right Arrow Reload Ctrl+R Save as Ctrl+S Print Ctrl+P Google Search I'm Feeling Luck	.
	Forward Alt+Right Arrow Reload Ctrl+R Save as Ctrl+S Print Ctrl+P Cast	4
	Forward Alt+Right Arrow Reload Ctrl+R Save as Ctrl+S Print Ctrl+P Cast Translate to English	پ ۷
	Forward Alt+Right Arrow Reload Ctrl+R Save as Ctrl+S Print Ctrl+P Cast Translate to English View page source Ctrl+U	¢ t
	Forward Alt+Right Arrow Reload Ctrl+R Save as Ctrl+S Print Ctrl+P Cast Translate to English View page source Ctrl+U Inspect Ctrl+Shift+I	¢ t
	Forward Alt+Right Arrow Reload Ctrl+R Save as Ctrl+S Print Ctrl+P Cast Translate to English View page source Ctrl+U Inspect Ctrl+Shift+I	¢ t





Select "Console"

← → C https://www.google.com				
About Store		Gma	Elements Console Console	Select "Console"
			Hide network Preserve log Selected context only Group similar	Log Ameniquequess Seger evaluation Autocomplete from history
	Google		>	
		¢		
	Google Search I'm Feeling Lucky			
Advertising Business		Prive		





Select "Enterprise MyGuide" from top





Enter "GmXt.debugHelp()" in the console to see a list of available debugging options

1) GmXt is the namespace for Creator extension 2) GmPXt is for Player extension 3) GmCXt is for Player JS 4) GmFXt is for Freemium extension







This is our debugging feature list





Step: 06

Enter the function GmXt.debug to enable or disable the debug mode





Step: 07

For example: GmXt.debug("all") will enable all debugging logs

		No. 1 .	× .
Gmail	Lik Liements Console Sources	Network Performance Memory »	
	Hide network	Lon YMLHttpRequests	· · ·
	Preserve log	Fager evaluation	
	Selected context only	 Autocomplete from history 	
	☑ Group similar	Evaluate triggers user activation	
	> GmXt.debug("all") < "Logs enabled for all" >	For example: GmXt.debug("all") will enable all debugging logs	
		Ģ	
•			
Privacy			
	•		



Step: 08

For log results, refresh the page and perform an action. The logs will be displayed in console





Thank You!

myguide.org

